


Delock Module MiniPCIe I/O PCIe full size 4 x Serial RS-232 with Voltage supply

Description

This MiniPCIe adapter by Delock expands your system by four additional serial ports, which you can lead out through the slot bracket. You can connect different serial devices like printer, scanner, modem etc. to this adapter.



Specification

- Connector:
on the module:
4 x 10 pin pin header male
on the slot bracket (standard) 2 x:
2 x serial RS-232 DB9 male with screw nuts
or on the slot bracket (low profile) 4 x:
1 x serial RS-232 DB9 male with screw nuts
- Chipset: Exar XR17V354
- Form factor: MiniPCIe full size
- Interface: PCI Express revision 2.0
- Data transfer rate up to 921.6 Kb/s
- Selectable voltage supply 5 V / 12 V or RI
- Compatible with 16C550 UART
- Cable length: ca. 30 cm (incl. connector)

System requirements

- Windows Vista/Vista-64/7/7-64/8/8-64/8.1/8.1-64, Linux Kernel 2.6
- Mainboard with a free MiniPCIe slot with a PCIe interface

Item No. 95244



EAN	4043619952441
Country of origin	Taiwan, Republic of China

Package content

- MiniPCIe module
- 4 x serial connection cable (pin header > DB9)
- Power cable
- 2 x standard slot bracket with two DB9 ports
- 4 x low profile slot bracket with one DB9 port
- Driver CD
- User manual

Package

- Box

Images

